This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

Ter 29 template




Fig. 1




Fig. 2




Fig. 3

Ter-29 template





Fig. 5A

(Seconds)	(10 pmoles)	(1pmoles)	20 nmoles)	(3pmoles)	3
009) D	+	+	+	<u>#</u>
300	n	+	+	+	<u>m</u>
150	n	+	+	+	
09	n	+	+	+	<u>m</u>
30	Ď	+	+	+.	E
10	Ω	+	+	+	<u> </u>
1	ı	+	+	+	<u> </u>
Incubation time	Oligo	I HAN	dATP	VIF	· ·




Fig. 5B





Fig. 6A



WT Extract




Fig. 6C




Fig. 7A





Fig. 7B






Fig. 9A




Fig. 9B





Fig. 9C






Fig. 10A

Oligo - - . .05 0.1 .25 .5 1.0 2.5 - pmoles VTF - 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 - pmoles





PT-DNA-U9-PT-DNA (Phosphorothiol)

Fig. 10B




Fig. 11A




Fig. 11B





Fig. 12A






Fig. 13A




Fig. 13B




Fig. 13C





Figure 6

0 1 2 10 50 100 100 pmoles CF CF CF CF CF CF CF



100 27 15 7 6 7 124 % max syn DNA-PT-U9-DNA-PT

0 1 2 10 50 100 100 pmoles CF CF CF CF CF CF CF



100 37 19 1 1 1 123 % max syn 2' O Me-RNA-PT-U9-2'O-Me-PT-RNA